



Test Report

Number: GZHT90589335

Applicant: DONGGUAN JIAN PLASTIC & METAL PRODUCTS LTD.
NO.3-1, SOUTH GAOBU BLVD
GAOBU, DONGGUAN, CHINA
ZIP CODE: 523278
Attn: EMMY

Date: Mar 16, 2016

Sample Description:

One (1) piece of submitted sample said to be Transparent/Grey solder powder and solder oil
Standard : --
Ref. No. : --
P.O. No. : --
Buyer's Name : World Wide
Vendor : World Wide
Supplier : CHINA
Manufacturer : CHINA
Ref. : SOLDER POWDER AND SOLDER OIL
AGE RANGE: 3+
Country Of Origin : MADE IN CHINA
Goods Exported To : World Wide
Date Received/Date Test Started : Mar 01, 2016
Date Final Information Confirmed: Mar 15, 2016

Conclusion:

<u>Index</u>	<u>Test Item</u>	<u>Result</u>
1.	Total Lead (Pb) Content In Non-Surface Coating Materials	Not Applicable
2.	Total Lead (Pb) Content In Surface Coating	Pass
3.	Total Lead (Pb) Content	Pass
4.	Total Cadmium (Cd) Content	Pass

Should you have any query on this report, you may contact at gzfootwear@intertek.com

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou GDD Branch



Huang Ning, Andy
Assistant General Manager



HT/winnizhu



Test Report

Tests Conducted (As Requested By The Applicant)

Number: GZHT90589335

1 Total Lead (Pb) Content In Non-Surface Coating Materials:

With Reference To CPSC-CH-E1001-08.3:2012/CPSC-CH-E1002-08.3:2012, Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

<u>Result In ppm</u>	<u>Requirement In ppm</u>
NA	100

Remark: ppm = Parts Per Million
NA = All Accessible Components Were Found To Be Within The Exemption List Under 16cfr 1500.91(D),
No Test Was Conducted On The Submitted Sample

2 Total Lead (Pb) Content In Surface Coating

With Reference To CPSC-CH-E1003-09.1:2011, Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

<u>Result In ppm</u>	<u>Requirement In ppm</u>
ND	90

Remark: ppm = Parts Per Million
Detection limit = 10ppm
ND=Not Detected

Tested Component: Transparent/Grey Solder Powder And Solder Soil.

3 Total Lead (Pb) Content

With Reference To EPA 3050B: 1996 And EPA 3051A:2007, Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

	<u>Result In ppm</u>	<u>Limit In ppm</u>
	ND	90

The Above Limit Was Quoted From The Consent Judgement NO. RG-459448 Settled By Superior Court Of The State Of California For The County Of Alameda, For Footwear Based On The California Proposition 65.

Remark: ppm = Parts Per Million
Detection Limit = 10 ppm
ND=Not Detected

Tested Component: Transparent/Grey Solder Powder And Solder Soil.



Test Report

Tests Conducted (As Requested By The Applicant)

Number: GZHT90589335

4 Total Cadmium (Cd) Content

With reference to EPA 3050B: 1996 and EPA 3051A: 2007, ACID Digestion Method Was Used And Total Cadmium Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Result In ppm

< 10

Applicant's
Limit In ppm

75

Remark: ppm = Parts Per Million

Tested Component: Transparent/Grey Solder Powder And Solder Soil.

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

GZHT90589335

