

Number: GZHT90589367

Date:

Mar 16, 2016

DONGGUAN JIAN PLASTIC & METAL PRODUCTS Applicant:

LTD.

NO.3-1, SOUTH GAOBU BLVD GAOBU, DONGGUAN, CHINA

ZIP CODE: 523278 **EMMY** Attn:

Sample Description:

Two (2) pieces of submitted sample said to be Yellow velvet material

Standard Ref. No. P.O. No.

: World Wide Buyer's Name Vendor : World Wide Supplier : CHINA Manufacturer : CHINA

: YELLOW VELVET Ref.

> COLOR: YELLOW AGE RANGE: 3+

Country Of Origin : MADE IN CHINA Goods Exported To : World Wide Date Received/Date Test Started: Mar 01, 2016 Date Final Information Confirmed: Mar 15, 2016

Conclusion:

<u>Index</u> 1.	<u>Test Item</u> Color Fastness To Washing	Result Pass
2.	Total Lead (Pb) Content In Surface Coating	Not Applicable
3.	Total Lead (Pb) Content In Non-Surface Coating Materials	Pass
4.	Total Cadmium (Cd) Content	Pass

Should you have any query on this report, you may contact at qzfootwear@intertek.com

Authorized By:

For Intertek Testing Services Shenzhen Ltd.

Guangzhou GDD Branch

Huang Ning, Andy

Assistant General Manager



Page 1 Of 4



Number: GZHT90589367 Test Report

Tests Conducted (As Requested By The Applicant)

Color Fastness To Washing (ISO 105 C06 A2S-2010, Single Test, 30 Minutes Mechanical Wash At 40°C In 0.4% ECE Reference Detergent And 0.1% Sodium Perborate Solution With 10 Steel Balls):

> Applicant's Requirement

Min. 4 Grade Color Change 4-5 Grade Color Staining Min. 4 Grade -Acetate 4-5 Grade

-Cotton 4-5 Grade -Nylon 4-5 Grade -Polyester 4-5 Grade -Acrylic 4-5 Grade -Wool 4-5 Grade

Remark: This Test Was Conducted At 3F, Hengyun Building, No. 235 Kaifa Avenue, GETDD

2 Total Lead (Pb) Content In Surface Coating

> With Reference To CPSC-CH-E1003-09.1:2011, Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

> > Result In ppm Requirement In ppm Not Applicable 90

Remark: ppm = Parts Per Million

Since No Scrapable Surface Coating Was Found On The Submitted Sample(s), The Testing Scope Assessment:

Was Not Applicable To The Submitted Sample(s).

Total Lead (Pb) Content In Non-Surface Coating Materials:

With Reference To CPSC-CH-E1001-08.3:2012/CPSC-CH-E1002-08.3:2012, Acid Digestion Method Was Used And Total Lead Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

> Result In ppm Requirement In ppm ND 100

Remark: ppm = Parts Per Million

Detection limit = 10ppm

ND=Not Detected

Tested Component: Yellow Brushed Woven.

Tel: +86 20 8213 9001 Fax: +86 20 8208 9909 Postcode: 510663



Test Report Number: GZHT90589367

Tests Conducted (As Requested By The Applicant)

4 Total Cadmium (Cd) Content

With reference to EPA 3050B: 1996 and EPA 3051A: 2007, ACID Digestion Method Was Used And Total Cadmium Content Was Determined By Inductively Coupled Argon Plasma Spectrometry.

Result In ppm

Applicant's
Limit In ppm
75

< 10

Remark: ppm = Parts Per Million Detection Limit = 10ppm

Tested Component: Yellow Brushed Woven.

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Tel: +86 20 8213 9001 Fax: +86 20 8208 9909 Postcode: 510663



GZHT90589367

GZHT90589367

Number: